

Data modeling in the Virtual Observatory Framework



Mireille Louys

CDS, Strasbourg Observatory

ICube Laboratory , Strasbourg University, FR






A collaborative effort thanks to

Jesus Salgado, Carlos Rodrigo, Pedro Osuna, Mark Allen, Mireille Louys,
Jonathan McDowell, Deborah Baines, Jesus Maiz Apellaniz, Evanthia
Hatziminaoglou, Sebastien Derriere, Gerard Lemson, Laurent Bourges, Miguel
Cervino, Claudio Gheller, Norman Gray, Franck LePetit, Benjamin Ooghe, Rick
Wagner, Herve Wozniak, Igor Chilingarian, Marie-Lise Dubernet, Evelyne Roueff,
Matteo Guainazzi, Enrique Solano, Joe Mazzarella, Raffaele D'Abrusco, Tamas
Budavari, Markus Dolensky, Inga Kamp, Kelly McCusker, Doug Tody,
Pavlos Protopapas, Arnold Rots, Randy Thompson, Frank Valdes, Petr Skoda,
Bruno Rino, Jim Cant, Omar Laurino, Patrick Dowler, Daniel Durand, Laurent
Michel, François Bonnarel, Mark Cresitello-Dittmar, Mark Markus Demleitner, Tom
Donaldson, Patrick Dowler, Matthew Graham, Jose Enrique Ruiz,
Kristin Riebe, Michèle Sanguillon, Mathieu Servillat, Catherine Boisson



IVOA Working Groups / Interactions



□ Metadata modeling goals in the VO context

Describe metadata for all datasets exchanged in the astronomical community in an **homogeneous way**.

Sustains the interoperability objective of the Virtual Observatory

Based on the requirements:

- **For users :**

To be able to ask the same question/query to various astronomical data bases, select the results and then retrieve data.


Search seamlessly for observational data at all wavelengths and for all instruments.

- **For data providers :**

Expose and distribute more data with a **standardized metadata description**.

In core in the DB structure or as an interoperability layer on existing architecture (DB view).

□ What is metadata in our context ?



- Organize
- Describe at the appropriate level of details
- Each use-case sets its own **quality requirements and criteria**
- Describe all properties on each physical axis of the data: spatial, temporal, spectral, polarization, etc.

Modeling Strategy

Following the principle of Object Oriented Design :

- Describe the **responsibilities** and **properties** of the metadata involved for data produced by an observation or a simulation process.
- A dialog between data providers and users who came up with :
 - **Root concepts** qualifying astronomical data
 - A **vocabulary** (list of terms) based on existing practises (FITS, bibliographic services, archives contents, interviews from astronomers and data providers ..)
 - **logical structure** showing the dependencies and relations between all pieces of metadata
 - A general schema for metadata representation built from commonalities and specificities used at various data providers archives

□ General building blocks models

Metadata features	Data model name&version	Year	Status
Astronomical Space Time Coordinates	STC v 1.33	2007	REC
	STC v 2.0	2016	WD
Physical axis description and properties	Characterization v1.13	2008	REC

REC : IVOA Recommendation

PR: Proposed Recommendation

WD: Working Draft


□ Observational Metadata

Metadata features	Data model name &version	Year	Status	Protocol	Applications
Spectral Line Transitions	Simple Spectral Line	2010 REC	SLAP	VOSpec, SPLAT-VO	
1D Spectrum, Light Curves	Spectrum v1.0	2007 REC	SSA 1.0		
1D Spectrum, Light Curves	Spectrum v1.1	2011 REC	SSA 1.1	SPLAT-VO, IRIS	
SED, Photometric Points, Time series, Multi-segment 1D spectrum	Spectral v2.0	2014 PR	SSA 1.1	SPLAT	
Observational dataset (All data products for global discovery)	Core Components ObsCore v1.0	2011 REC	TAP 1.0, SIAv2	TAPHandle, TOPCAT	
Photometric calibration	ObsCore v1.1	2016 PR	TAP 1.0	TAPHandle, TOPCAT	
All observation datasets (Fine grain description)	Photometry v1.0	2013 REC		SPLAT-VO, CDS Sed browser, SVO Filter Profile Service	
N-D cubes; pixelated images, sparse data	DataSet Metadata v1.0	2015 WD			
	NDCube v1.0	2015 WD		SPLAT-VO/time	



Other Metadata

Metadata features	Data model name & version	Year	Status	Protocol	Applications
VOEvent: transients observations	VOEvent v2.0		REC	VTP 1.0	Service embedded desc .
Simple time series	Simple time series v1.0	2014	Note		
<i>Simulation Data</i>					
Simulations, data and code description	Simulation v1.0	2012	REC	SimDAL	DEUVO, Meudon PDR code, MilleniumDB, etc.
Micro simulations, Implementations of SimDM	Implementations of the Simulation DM v1.0	2012	Note		
<i>Provenance metadata</i>					
Datasets generation process, Progenitors	Provenance DM v1.0	2016	WD	TBD	



ivoa.net/Documents




□ Structural aspect

- The DM fields arrangement contains the dependencies between different pieces of metadata
- Can be expressed as
 - UML class diagram
 - Mind maps
 - Tables
 - Lists


Suitable the most for interpretation by humans (**graphs**) or by machine (**tables, lists, XML documents**)




Graphs



Mind map



UML partial class diagram



UML main class diagram



Data Model Table description (ObsTAP)

nameattr	unit	ucd	SEMANTICS	utype	STRUCTURE	dataType	description
obs_publisher_did			meta.ref.url;meta.curation	obscore:Curation.PublisherDID		VARCHAR	publisher dataset identifier
obs_collection		→	meta.id	obscore:DataID.Collection	←	VARCHAR	short name for the data colection
facility_name			meta.id;instr.tel	obscore:Provenance.ObsConfig.Facility.name		VARCHAR	telescope name
instrument_name			meta.id;instr	obscore:Provenance.ObsConfig.Instrument.name		VARCHAR	instrument name
obs_id		→	meta.id	obscore:DataID.observationID	←	VARCHAR	internal dataset identifier
dataproduct_type			meta.id	obscore:ObsDataset.dataProductType		VARCHAR	type of product
calib_level			meta.code;obs.calib	obscore:ObsDataset.calibLevel		INTEGER	calibration level (0,1,2,3)
obs_release_date			time.release	obscore:Curation.releaseDate		TIMESTAMP	timestamp of date the data becomes publicly available
target_name			meta.id;src	obscore:Target.Name		VARCHAR	name of intended target
s_ra	deg		pos.eq.ra	obscore:Char.SpatialAxis.Coverage.Location.Coord.Position2D.Value2.C1		DOUBLE	RA of central coordinates
s_dec	deg		pos.eq.dec	obscore:Char.SpatialAxis.Coverage.Location.Coord.Position2D.Value2.C2		DOUBLE	DEC of central coordinates
s_fov	deg		phys.angSize;instr.fov	obscore:Char.SpatialAxis.Coverage.Bounds.Extent.diameter		DOUBLE	size of the region covered (~diameter of minimum bounding circle)
s_region	deg		phys.outline;obs.field	obscore:Char.SpatialAxis.Coverage.Support.Area		REGION	region bounded by observation
s_resolution	arcsec		pos.angResolution	obscore:Char.SpatialAxis.Resolution.refval.value		DOUBLE	typical spatial resolution
s_xel1			meta.number	obscore:Char.SpatialAxis.numBins1		BIGINT	dimensions (number of pixels) along one spatial axis
s_xel2			meta.number	obscore:Char.SpatialAxis.numBins2		BIGINT	dimensions (number of pixels) along the other spatial axis
t_min	d		time.start;obs.exposure	obscore:Char.TimeAxis.Coverage.Bounds.Limits.StartTime		DOUBLE	start time of observation (MJD)
t_max	d		time.end;obs.exposure	obscore:Char.TimeAxis.Coverage.Bounds.Limits.StopTime		DOUBLE	end time of observation (MJD)

□ VO-DML data model description

- Derived from UML modeling
- Expressed following the [VO-DML meta-model](#)
- Describes all datamodel classes, attributes and relations in a dedicated XML document
- On going specification in proposed recommendation phase




*International
Virtual
Observatory
Alliance*

[VO-DML: a consistent modeling language for IVOA data models](#)


Version 1.0-20160923

Proposed Recommendation 2016 September 23


□ Interaction aspect /server side



□ Interaction aspect /client side



Data models in action



□ Lessons learnt (development strategy)

- Incremental development
- Gathering use-case has proven to be effective
- Discussions with data providers can be cumbersome but are essential
- Testing in real context with applications, protocols and data model update sets up a positive development feedback
- It was challenging to adjust the granularity level :
 - Details specific to particular data archives are not covered, but the **common interoperable description layer** works

□ Lessons learnt (technical aspects)

- Easy to prototype, but long and painful to get everything consistent and persistent in a large reference picture.
- Important to find the appropriate scope for data modeling:
 - Common features → mandatory data model fields
 - Specific features → optional features
 - **We target interoperability and not exhaustivity**
- Data model compliance checks improved when we can validate serialisations (owing to the Operations WG)

□ Conclusion

- VO data models offer a rich set of data models describing most of observation and simulation data products
- A good learning curve for VO developers thanks to the motivation of the actors
- Data models build up the underlying semantic and structural layer that binds together the VO framework
- Join us at IVOA meetings or contact us on dm@ivoa.net



Thanks for your attention Thanks
to all people involved





A collaborative effort thanks to

Jesus Salgado, Carlos Rodrigo, Pedro Osuna, Mark Allen, Mireille Louys,
Jonathan McDowell, Deborah Baines, Jesus Maiz Apellaniz, Evanthia
Hatziminaoglou, Sebastien Derriere, Gerard Lemson, Laurent Bourges, Miguel
Cervino, Claudio Gheller, Norman Gray, Franck LePetit, Benjamin Ooghe, Rick
Wagner, Herve Wozniak, Igor Chilingarian, Marie-Lise Dubernet, Evelyne Roueff,
Matteo Guainazzi, Enrique Solano, Joe Mazzarella, Raffaele D'Abrusco, Tamas
Budavari, Markus Dolensky, Inga Kamp, Kelly McCusker, Doug Tody,
Pavlos Protopapas, Arnold Rots, Randy Thompson, Frank Valdes, Petr Skoda,
Bruno Rino, Jim Cant, Omar Laurino, Patrick Dowler, Daniel Durand, Laurent
Michel, François Bonnarel, Mark Cresitello-Dittmar, Mark Markus Demleitner, Tom
Donaldson, Patrick Dowler, Matthew Graham, Jose Enrique Ruiz,
Kristin Riebe, Michèle Sanguillon, Mathieu Servillat, Catherine Boisson

